

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**




FIG. 1




FIG. 2



5,946,469

Computer sys

5,852,739

Low profile p

5,831,821

Computer ha

5,815,351

Overload pro

5,808,663

Multimedia c

5,804,875

Computer sys

5,782,354

Corrugated e

5,777,848

Power supply

5,768,034

Computer wi

5,754,397

Docking con

5,647,748

Printed circui

5,625,534

Portable com

5,623,869

Laptop table

5,497,292

Configurable

4,999,767

System havir

403

404

410a

407

408

406

405

Computer with an improved disk drive mounting assembly

A computer, or other similar type of electronic device including a chassis, and one or more disk drives mounted in the chassis. A mounting bracket for receiving a disk drive is mounted to the computer chassis and is precisely located relative to a wall of the chassis. A mounting plate for receiving another disk drive is mounted relative to the bracket and to the chassis and is also precisely located relative to a wall of the chassis and to the bracket.

8 Pages, 14 Claims, 4 Figures.

SERIAL: 08/785,418

FILED DATE: January 22

P. Shon5, b/218

412

416

414

415

401

409

402

FIG. 4





FIG. 5

Patelligence P-Shoe - Dell (General)
File Document View Tools Help

Back Open Save Clip Print Show View Order Using Doc Select Exclude

5,946,469	Computer sys
5,852,739	Low profile p
5,831,821	Computer ha
5,815,351	Overload pro
5,808,663	Multimedia c
5,804,875	Computer sys
5,782,354	Corrugated e
5,777,843	Power supply
5,768,099	Computer wit
5,754,397	Docking con
5,647,748	Printed circ
5,625,534	Portable com
5,623,869	Laptop table
5,497,292	Configurable
4,999,767	System havin



Power supply mounting assembly for electronic equipment

A mounting assembly for mounting a component in electronic equipment, such as a computer system, which includes an enclosure and a mounting bracket pivotally mounted to the enclosure. One or more retaining members are disposed on the bracket for engaging the component to retain the component in the bracket in abutting relationship. The bracket, and therefore the component, are connected to the enclosure so that they can be pivoted between a position in which the component is mounted in the enclosure and a position in which it extends out of the enclosure. In the mounted position, the bracket forms a portion of

☐ Undecided  
☒ Selected  
☒ Excluded

Document 8 of 15: 0 selected, 0 excluded, 100% undecided
IP Shoe 5/15/216

FIG. 6

000001-52016560




FIG. 7



008701 52016960

PatIntelligence P-Shoe - Dell (General)

File Document View Tools Help

Open Save Print Find Stop View Stop Stop Stop Stop Stop Stop Stop Stop Stop Stop

5,946,469	Computer sy
5,852,739	Low profile p
5,831,821	Computer he
5,815,351	Overload pro
5,809,668	Multimedia c
5,804,875	Computer sy
5,782,354	Corrugated e
5,777,848	Power suppl
5,768,099	Computer wi
5,754,397	Docking cor
5,647,748	Printed circ
5,625,534	Portable cor
5,623,869	Laptop table
5,497,292	Configurable
4,999,767	System havi

☐ Underlined  
☒ Selected  
☒ Excluded

Abstract Bibliographic Claims Notes

Document 5 of 15 0 selected, 0 excluded, 100% underlined

Page 15 of 219

### Multimedia carousel for video conferencing and multimedia presentation applications

A multimedia carousel for use in video conferencing and multimedia presentation applications is disclosed. The multimedia carousel includes a cube-shaped media unit rotatably disposed on a stationary base. Each of the four outward-facing sides of the media unit is equipped with an active color matrix display, a voice-activated charge coupled device ("CCD") camera and a microphone. A single high fidelity speaker is disposed on the

FIG. 8

00691075-406000

Patent Intelligence F-Share - Data (General)


Open Save Copy Print Stop Draw Copy Paste Undo Redo

5,946,469	Computer sy
5,852,739	Low profile p
5,831,821	Computer he
5,815,351	Overload pro
5,808,888	Multimedia c
5,804,875	Computer sy
5,782,354	Corrugated e
5,777,848	Power suppl
5,768,099	Computer w
5,754,397	Docking cor
5,647,748	Printed circ
5,625,534	Portable cor
5,623,869	Laptop table
5,497,292	Configurable
4,999,767	System hav

☐ Undecided  
☒ Selected  
☒ Excluded

Document 5 of 16. 0 selected, 0 excluded, 100% undecided.

### Multimedia carousel for video conferencing and multimedia presentation applications



A multimedia carousel for use in video conferencing and multimedia presentation applications is disclosed. The multimedia carousel includes a cube-shaped media unit rotatably disposed on a stationary base. Each of the four outwardly facing sides of the media unit is equipped with an active color matrix display, a voice-activated charge coupled device ("CCD") camera and a microphone. A single high fidelity speaker is disposed on the top side surface of the cube for producing high quality audio output.

7 Pages, 25 Claims, 4 Figures.

Abstract / Bibliographic / Claims / Notes / SERIAL 00/395,504

Patent 5,808,888

FIG. 9

[illegible]

FIG. 10



008701-5206560

Patelligence P-Shoe - Dell (General)
Document View Tools Help

Back Open Save Cut Print Show View Other Laptop Doc Select

5,946,463	Computer sys
5,852,739	Low profile p
5,831,821	Computer ho
5,815,351	Overload pro
5,808,663	Multimedia c
5,804,875	Computer sys
5,782,354	Corrugated e
5,777,813	Power supply
5,768,099	Computer wi
5,754,397	Docking con
5,647,748	Printed circu
5,625,534	Portable com
5,623,869	Laptop table
5,497,292	Configurable
4,999,767	System havin

**Power supply mounting assembly for electronic equipment**

A mounting assembly for mounting a component in electronic equipment, such as a computer system, which includes an enclosure and a mounting bracket pivotally mounted to the enclosure. One or more retaining members are disposed on the bracket for engaging the component to retain the component in the bracket in abutting relationship. The bracket, and therefore the component, are connected to the enclosure so that they can be pivoted between a position in which the component is mounted in the enclosure and a position in which it extends out of the enclosure. In the mounted position, the bracket forms a portion of one or more walls of the enclosure.

**7 Pages, 21 Claims, 5 Figures.**

SERIAL: 08/771,012

Abstract Bibliographic Claims Notes

Document 8 of 15: 0 selected, 0 excluded, 100% undecided

18 Sep 95 16:218

FIG. 12





FIG.

14






Fig 15




Fig 16



000001-92076960




Fig. 17

Fig. 10



Patent Office P-5100-5200

Document View/Tree/Help

418

Back Open Save Copy Paste Undo Redo View Help Print Large Small Select All

☒ D 247,075 Amusement chaises plieuses  
☒ D 248,838 Amusement chaises plieuses  
☒ D 248,839 Amusement chaises plieuses  
☒ D 248,195 Amusement chaises  
☒ D 245,795 Amusement space vehicle  
☒ D 245,924 Space box  
☒ G 245,931 Linear speaker array  
☒ S 245,903 Visual object presentation programming as an actionable event  
☒ G 245,912 Apparatus for controlling an animated figure  
☒ S 245,190 Linear speaker array  
☒ G 245,671 Speed control apparatus for motoring traveling vehicle  
☒ S 245,470 Lateral energy projection system and method  
☒ G 245,471 Sound system  
☒ S 245,725 Inflatable cabin base  
☒ G 245,330 Method for controlling production of an animated feature using a top  
☒ S 245,148 Method and apparatus for reducing noise during a play of a board game  
☒ G 245,572 Method and apparatus for creating projection effects  
☒ S 245,932 Method and apparatus for providing motion in three dimensions  
☒ G 245,231 Floating apparatus and method  
☒ S 245,1031 Visual case  
☒ G 245,313 Method and apparatus for providing a visual sound effect  
☒ S 245,595 Method and apparatus for an amusement ride having an animated object  
☒ G 245,333 Ferris wheel having a rotating wheel configuration  
☒ S 245,873 Dynamic ride vehicle  
☒ G 245,241 Amusement ride vehicle having a motorized wheel  
☒ S 245,121 Amusement ride and rail propelled vehicle  
☒ G 245,671 Device for controlling and packaging device  
☒ S 245,095 Conveying device with self-steering powered carrier  
☒ G 245,314 Method and system for guiding a user in a virtual reality presentation  
☒ S 245,937 Three dimensional visual image system  
☒ G 245,314 Programming device and method for controlling ride vehicles in an area  
☒ S 245,931 Method and system for restraining a load object in a virtual reality presentation  
☒ G 245,743 Method for controlling device and system  
☒ S 245,934 Double track amusement ride vehicle  
☒ G 245,314 Amusement ride assembly with rotating tube synchronized with an image  
☒ S 245,121 Motion base  
☒ G 245,072 Special effects control system  
☒ S 245,223 Method and apparatus for transmission of full frequency digital audio  
☒ G 245,601 Driving machine with sound effects  
☒ S 245,022 Water slide  
☒ G 245,332 Passenger restraint system  
☒ S 245,750 Ferris wheel having a rotating wheel  
☒ G 245,231 Method and apparatus for remote synchronization of audio, lighting, and  
☒ S 245,503 Lighting technique for improving appearance of partially enveloped  
☒ G 245,930 Ride vehicle control system  
☒ S 245,134 Lateral energy absorbing device for ski guide vehicle  
☒ G 245,073 Amusement ride having a rotating wheel

419

412

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

811

812

813

814

815

816

817

818

819

820

821

822

823

824

825

826

827

828

829

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

850

851

852

853

854

855

856

857

858

859

860

861

862

863

864

865

866

867

868

869

870

871

872

873

874

875

876

877

878

879

880

881

882

883

884

885

886

887

888

889

890

891

892

893

894

895

896

897

898

899

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

929

930

931

932

933

934

935

936

937

938

939

940

941

942

943

944

945

946

947

948

949

950

951

952

953

954

955

956

957

958

959

960

961

962

963

964

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979

980

981

982

983

984

985

986

987

988

989

990

991

992

993

994

995


996

997

998

999

1000



Amusement ride for traveling down a water chute with reduced splash

An amusement ride includes a vehicle traveling down a chute through a region of water. The vehicle is shaped to minimize splashing and to allow water to flow away from the vehicle. The vehicle flanks are curved to deflect splashing water down and away from the vehicle, and the vehicle bow has upper flanks to deflect water down and away from the vehicle. The vehicle bottom has a concave channel to accommodate water displaced by the vehicle. The vehicle has sets of wheels for traveling, for guiding lateral motion, and for interacting with floating prevention mechanism. A groove along each side of the vehicle accommodates a splash prevention member on the water chute.

11 Pages, 15 Claims, 10 Figures.

SERIAL: 08/290,889  
 FILING DATE: June 27, 1995  
 PRIORITY: September 2, 1992, Appl. No. 4,224,963  
 ISSUE DATE: March 25, 1997  
 INVENTOR: Ariga, Masahiko; Yokohama Japan (JP)  
 Ojima, Reichi; Hachioji, Japan (JP)  
 Kawasaki, Yoshihiro; Tokyo Japan (JP)  
 Kobayashi, Toshihiro; Fujisawa Japan (JP)

419 411

Fig. 20